

Safety data sheet

Page: 1/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN) Date of print 15.10.2021

1. Substance/preparation and manufacturer/supplier identification

GOLIATH LIQUID ANT BAIT

Use: insecticide

Manufacturer/supplier: BASF Australia Limited (ABN 62 008 437 867) Level 12, 28 Freshwater Place Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600 Telefax number: +61 3 8855-6511

Emergency information: BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture: Acute toxicity: Cat. 5 (oral) Hazardous to the aquatic environment - acute: Cat. 1 Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word: Warning

Page: 2/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

Hazard Statement: May be harmful if swallowed. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Response): Call a POISON CENTER or doctor/physician if you feel unwell. Collect spillage.

Precautionary Statements (Disposal): Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification: See section 12 - Results of PBT and vPvB assessment. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Bait

Hazardous ingredients

Fipronil

Content (W/W): 0.05 % CAS Number: 120068-37-3

Acute Tox.: Cat. 2 (Inhalation - dust) Acute Tox.: Cat. 3 (oral) Acute Tox.: Cat. 3 (dermal) STOT RE (Central nervous system): Cat. 1 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 1000 M-factor chronic: 10000

4. First-Aid Measures

If inhaled: Keep patient calm, remove to fresh air.

On skin contact: Wash thoroughly with soap and water.

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth immediately and then drink plenty of water, induce vomiting, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known. Treatment: Symptomatic treatment (decontamination, vital functions).

Page: 3/11

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

5. Fire-Fighting Measures

Suitable extinguishing media: carbon dioxide, dry powder, water spray, foam

Specific hazards: carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, sulfur oxides, organochloric compounds The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing. Use personal protective clothing.

Environmental precautions: Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Page: 4/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

Storage

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure controls and personal protection

Components with occupational exposure limits

No occupational exposure limits known.

Personal protective equipment

Respiratory protection: Respiratory protection not required.

Hand protection: Chemical resistant protective gloves

Eye protection: Eye protection not required.

Body protection: Body protection not required.

General safety and hygiene measures: Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	gel blue violet characteristic Not determined due to potential health hazard by inhalation.
pH value:	approx. 5 - 7 (approx. 20 °C)
Melting point:	
Deiling point	not determined
Boiling point:	The product has not been tested.
Flash point:	> 400 °C
	No flash point - Measurement made up to the indicated temperature, pilot
	light extinguishes.
Evaporation rate:	not applicable
	not applicable

Page: 5/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

Flammability (solid/gas): Lower explosion limit:	not applicable
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	not determined
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Explosion hazard: Fire promoting properties	not explosive
Vapour pressure:	The product has not been tested.
Density:	approx. 1.23 g/cm3 (20 °C)
Relative vapour density (
Solubility in water:	The data given are those of the active ingredient. approx. 0.00378 g/l
Partitioning coefficient n-	(approx. 20 °C) octanol/water (log Pow): not applicable
Viscosity, dynamic:	80 - 100 mPa.s (20 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid: See MSDS section 7 - Handling and storage.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

Page: 6/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

Substances to avoid: strong bases, strong acids, strong oxidizing agents

Hazardous reactions: No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Of low toxicity after single ingestion.

Experimental/calculated data: LD50 rat (oral): > 2,000 mg/kg

(by inhalation): The product has not been tested. The statement has been derived from the properties of the individual components.

LD50 rat (dermal): > 2,000 mg/kg

Information on: Fipronil Experimental/calculated data: LC50 rat (by inhalation): 0.36 mg/l 4 h (OECD Guideline 403) Tested as dust aerosol.

Irritation

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data: Skin corrosion/irritation rabbit:

Serious eye damage/irritation rabbit:

Respiratory/Skin sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Page: 7/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Assessment of repeated dose toxicity: Causes mortality and signs of neurotoxicity through prolonged or repeated exposure.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Page: 8/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Toxicity to fish: LC50 (96 h) 0.0852 mg/l, Lepomis macrochirus

Information on: Fipronil Aquatic invertebrates: EC50 (48 h) 0.19 mg/l, Daphnia magna

LC50 (48 h) 0.00017 mg/l, Mysidopsis bahia

Information on: Fipronil Aquatic plants: EC50 (72 h) 0.103 mg/l (growth rate), Scenedesmus subspicatus

No observed effect concentration (72 h) >= 0.14 mg/l, Pseudokirchneriella subcapitata

EC50 (14 d) > 0.16 mg/l (biomass), Lemna gibba

No observed effect concentration (14 d) > 0.16 mg/l (biomass), Lemna gibba

Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Assessment transport between environmental compartments: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 9/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

Information on: fipronil Elimination information: Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Bioaccumulation potential: Bioconcentration factor: 321, Lepomis macrochirus Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	9 III UN 3082 9, EHSM ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FIPRONIL)
Further information Hazchem Code:3Z IERG Number:47	
Sea transport IMDG	
Hazard class: Packing group:	9 III

Page: 10/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

	Date of plant re
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains FIPRONIL)

Air	transport	
IAT	A/ICAO	

Hazard class:9Packing group:IIIID number:UN 3082Hazard label:9, EHSMProper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains FIPRONIL)

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

Registration status:

AICS, AU released w/o restriction f. BASF / not listed APVMA Approval 70252

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

Page: 11/11

BASF Safety data sheet Date / Revised: 15.10.2021 Product: **GOLIATH LIQUID ANT BAIT**

Version: 1.1

(30648047/SDS_GEN_AU/EN)

Date of print 15.10.2021

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.